

Experiencing hypoglycemia through “patient eyes”




Tap to continue

This App is an illustrative example of what it might be like to experience the more common symptoms of hypoglycemia and should not be viewed as an accurate representation of hypoglycemia experienced by all patients. Actual experiences of hypoglycemia including severity and frequency may vary from patient to patient.

CONTINUE

Most common symptoms of hypoglycemia ^{1,2}



Symptoms

Hypo facts

Hypo simulator



What physicians think about hypoglycemia³



2 in 3

Physicians
report



My patients don't understand the serious
consequences of hypos



Physicians



Patients

Symptoms


Hypo facts

Hypo simulator


Experiencing hypoglycemia through patient eyes^{1,2}




Confusion




Anxiety



Blurred vision




Visual disturbance



Dizziness




Palpitations



Sweating



Trembling



Tiredness

Apply your selection >

Symptoms

Hypo facts

Hypo simulator



Tiredness



Mild

Moderate

Severe

Symptoms

Hypo facts

Hypo simulator





References

1. Begg IS, Yale J-F, Houlden RL, et al. Canadian Diabetes Association's clinical practice guidelines for diabetes and private and commercial driving. Can J Diabetes. 2003;27:128e140. Available at: <http://www.diabetes.ca/files/DrivingGuidelinesBeggJune03.pdf>. Accessed April 30, 2012.
2. V. McAulay, I. J. Deary* and B. M. Frier, Symptoms of hypoglycaemia in people with diabetes
3. W.D. Strain, X. Cos, M. Hirst, S. Vencio, V. Mohan, Z. Vokó, D. Yabe, M. Blüher, P.M. Paldánus, Time to Do More: Addressing Clinical Inertia in the Management of Type 2 Diabetes Mellitus

Symptoms

Hypo facts

Hypo simulator